NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

| The drawing (s) filed (insert date) | 2 | 117 | 100 |
|-------------------------------------|--------|---------|---------------|
| A. ppproved by the Draftspers | on und | er 37 (| T CFR 1.84 |

or 1.152.

objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this notice.

| 1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings: | 8. ARRANGEMENT OF VIEWS. 37.CFR 1.84(i) | | |
|--|---|--|--|
| Black ink. Color. | Words do not appear on a horizontal, left-to-right fashion | | |
| Color drawings are not acceptable until petiton is granted. | when page is either upright or turned so that the top | | |
| Fig(s) | becomes the right side, except for graphs. Fig(s) | | |
| Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) | 9. SCALE. 37 CFR 1.84(k) | | |
| 1 full-tone set is required. Fig(s) | Scale not large enough to show mechanism without | | |
| Photographs may not be mounted. 37 CFR 1.84(e) | crowding when drawing is reduced in size to two-thirds in | | |
| Poor quality (half-tone). Fig(s) | reproduction. | | |
| 3. TYPE OF PAPER. 37 CFR 1.84(e) | Fig(s) | | |
| Paper not flexible, strong, white, and durable. | 10. CHARACTER OF LINES, NUMBERS, & LETTERS. | | |
| Fig(s) | 37 CFR 184(i) | | |
| Erasures, alterations, overwritings, interlineations, | Lines, numbers & letters not uniformly thick and well | | |
| folds, copy machine marks not accepted. Fig(s) | defined, clean, durable, and black (poor line quality). | | |
| Mylar, velum paper is not acceptable (100 thin). | Fig(s) | | |
| Fig(s) | 11. SHADING. 37 CFR 1.84(m) | | |
| 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: | Solid black areas pale. Fig(s) | | |
| 21.0 cm by 29.7 cm (DIN size A4) | Solid black shading not permitted. Fig(s) | | |
| 21.6 cm by 27.9 cm (8 1/2 x 11 inches) | Shade lines, pale, rough and blurred. Fig(s) | | |
| All drawing sheets not the same size. | 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) | | |
| Sheet(s) | Numbers and reference characters not plain and legible. | | |
| Drawings sheets not an acceptable size. Fig(s) | Fig(s) | | |
| 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: | Figure legends are poor. Fig(s) | | |
| T- 26 | Numbers and reference characters not oriented in the | | |
| Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm | same direction as the view. 37 CFR 1.84(p)(1) | | |
| SIZE: A4 Size | Fig(s) | | |
| Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm | English alphabet not used. 37 CFR 1.84(p)(2) | | |
| SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) | Figs | | |
| Top (T) Left (L) | Numbers, letters and reference characters must be at least | | |
| Right (R) Bottom (B) | .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) | | |
| 6. VIEWS. 37 CFR 1.84(h) | Fig(s) | | |
| REMINDER: Specification may require revision to | 13. LEAD LINES. 37 CFR 1.84(q) | | |
| correspond to drawing changes. | Lead lines cross each other. Fig(s) | | |
| Partial views. 37 CFR 1.84(h)(2) | Lead lines missing. Fig(s) | | |
| Brackets needed to show figure as one entity. | 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(I) | | |
| Fig(s) | Sheets not numbered consecutively, and in Arabic numerals | | |
| Views not labeled separately or properly. | beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) | | |
| Fig(s) | Views not numbered consecutively, and in Arabic numerals, | | |
| Enlarged view not labeled separetely or properly. | beginning with number 1. Fig(s) | | |
| Fig(s) | 16. CORRECTIONS. 37 CFR 1.84(w) | | |
| | Corrections not made from prior PTO-948 | | |
| 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) | dated | | |
| Hatching not indicated for sectional portions of an object. | 17. DESIGN DRAWINGS. 37 CFR 1.152 | | |
| Fig(s) | Surface shading shown not appropriate. Fig(s) | | |
| Sectional designation should be noted with Arabic or | Solid black shading not used for color contrast. | | |
| Roman numbers. Fig(s) | Fig(s) | | |
| • | | | |
| | | | |
| COLUMNIC | | | |
| COMMENTS | | | |
| L. 1 NOOD HIN | 2. VUNICAA (ICCANDIA, OT) | | |
| 701 1 10000 VO 12 | 2 1 x v 1 / ld 00000 / child v 0 | | |
| $\int f x dx dx dx$ | | | |
| Tis 1 wads to be revised according to red markes. I | | | |
| | " | | |
| | | | |
| | | | |

REVIEWER

ATTACHMENT TO PAPER NO.

REMINDER

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig.1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Reveiw Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

Failure to take corrective action within set period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner has approved the proposed changes.

BEST AVAILABLE COPY

Application No.

09/445116

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

| $\frac{1}{2}$ | |
|---|--|
| The drawing(s) filed (income a way 2) 17100 | |
| The drawing(s) filed (insert date) are: A pproved by the Draftsperson under 37 CFR 1.84 or 1.152. | |
| By Dependent to by the Draftsperson under 37 CFR 1 84 or 1 152 for the | e reasons indicated below. The Examiner will require |
| submission of new, corrected drawings when necessary. Corrected drawing | must be sumitted according to the instructions on the back of this notice. |
| The state of the state of the state of the state of | A grade the state of the state |
| 1. DRAWINGS. 37 CFR'1.84(a): Acceptable categories of drawings: | 8. ARRANGEMENT OF VIEWS: 37 CFR 1.84(i) |
| Black ink. Color. Color drawings are not acceptable until petition is granted. | Words do not appear on a horizontal, left-to-right fashion |
| Fig(s) | when page is either upright or turned so that the top becomes the right side; except for graphs. Fig(s) |
| Rencil and non black ink not permitted: Fig(s) | 9. SCALE. 37 CFR 1.84(k) |
| 1 full-tone set is required. Fig(s) | Scale not large enough to show mechanism without |
| Photographs not properly mounted (must use brystol board or | crowding when drawing is reduced in size to two-thirds in reproduction. |
| photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) | Fig(s)// |
| 3. TYPE OF PAPER. 37 CFR 1/84(e) | 10. SHARACTER OF LINES, NUMBERS, & LETTERS. (37 CFR 1.84(i) |
| Paper not flexible, strong, white, and durable. | Lines, numbers & letters not uniformly thick and well |
| Erasures, alterations, overwritings, interlineations, | defined, clean, durable, and black (poor line quality). |
| folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). | 11. SHADING. 37 CFR 1.84(m) |
| Fig(s) | Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) |
| 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) | Shade lines, pale rough and blurred Fig(s) |
| 21.6 cm by 27.9 cm (8,1/2 x 11 inches) | 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. B7 CFR 1.84(p) |
| All drawing sheets now the same size. Sheet(s) | Numbers and reference characters not plain and legible. |
| Drawings sheets not an acceptable size Fig(s) | Figure legerlds are poor. Fig(s) |
| 5. MARGINS. 37 CFR 1:84(g): Acceptable margins: | Numbers and reference characters not oriented in the |
| Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm | same direction as the view. 37 CFR 1.84(p)(1) Fig(s) |
| SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm | English alphabet not used. 37 CFR 1.84(p)(2) |
| SIZE: 8.1/2 x 11 Margins not acceptable. Fig(s) | FigsNumbers, letters and reference characters must be at least |
| Top (T) | .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) |
| Right (R) Bottom (B) /VC (L) 6. VIEWS, 37 CFR 1.84(h) | 13. LEADLINES 37 CFR Y84(a) |
| REMINDER: Specification may require revision to | Lead lines cross each other! Fig(s) WC Lead lines missing. Fig(s) |
| correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) | 14. NUMBERING OF SHEETS OF DRAWINGS, 27 CFR 1 84(1) |
| Brackets needed to show figure as one entity. | Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) |
| Fig(s) Views not labeled separately or properly. | 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) |
| Fig(s) | Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) |
| Enlarged view not labeled separetely or properly. Fig(s) | 16. CORRECTIONS. 37 CFR 1.84(w) |
| 7. SECTIONAL VIEWS. 37 CFR 1.84 (b)(3) | Corrections not made from prior PTO 948 |
| Hatching not indicated for sectional portions of an object. | 17 DESIGN DRAWINGS. 37 CFR 1.152 |
| Sectional designation should be noted with Arabic or | Surfage shading shown not appropriate. Fig(s) |
| Roman numbers. Fig(s) | (Fig(s) |
| | * |
| COMMENTS | Copro, pro |
| COMMENTS | |
| | |
| į i ^r | |
| • | |
| | |
| | S. Carta |
| | |
| · · | and the said |
| 10 | 1-21) |
| REVIEWER DATE 41 | 41// TELEPHONE NO. 3/) (-00) / Signal |
| f = f | 70 |
| ATTACHMENT TO PAPER NO. | |
| TO INICATO. | at the second of |

BEST AVAILABLE COPY

BEST AVAILABLE COPY

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.